

DIABETES MELLITUS RESIDUAL FUNCTIONAL CAPACITY

Name:														
Claim #:														
Date of Injury:														
Please Print Name of Medical Evaluator:														
Medical Specialty:														
What is the first date claimant's impairment(s) became "severe" meaning that they caused interference in ADL's or ability to work?								Date:						
When did you begin treating the claimant?								Date:						
How frequently do you see your claimant?								Date:						
Within a reasonable degree of medical probability:														
Can the claimant reasonably be expected to engage in sustained competitive work 8 hours a day 5 days a week taking into account the totality of his/her functional limitations?								YES <input type="checkbox"/>		NO <input type="checkbox"/>				
How many hours can claimant reasonably expect to sustain competitive work if vocationally and medically compatible work is indentified?					<1	1	2	3	4	5	6	7	8	
Hour(s) each day:														
Identify all of your patient's <i>symptoms</i> :														
<input type="checkbox"/> fatigue				<input type="checkbox"/> general malaise				<input type="checkbox"/> extremity pain and numbness						
<input type="checkbox"/> difficulty walking				<input type="checkbox"/> muscle weakness				<input type="checkbox"/> loss of manual dexterity						
<input type="checkbox"/> episodic vision blurriness				<input type="checkbox"/> retinopathy				<input type="checkbox"/> diarrhea						
<input type="checkbox"/> bladder infections				<input type="checkbox"/> kidney problems				<input type="checkbox"/> frequency of urination						
<input type="checkbox"/> bed wetting				<input type="checkbox"/> hot flashes				<input type="checkbox"/> sweating						
<input type="checkbox"/> infections / fevers				<input type="checkbox"/> psychological problem				<input type="checkbox"/> difficulty thinking concentration						
<input type="checkbox"/> excessive thirst				<input type="checkbox"/> abdominal pain				<input type="checkbox"/> dizziness / loss of balance						
<input type="checkbox"/> rapid heartbeat / chest pain				<input type="checkbox"/> vascular disease / leg cramping				<input type="checkbox"/> headaches						
<input type="checkbox"/> swelling				<input type="checkbox"/> insulin shock / coma				<input type="checkbox"/> hyper / hypoglycemic attacks						
<input type="checkbox"/> chronic skin infections				<input type="checkbox"/> nausea / vomiting				<input type="checkbox"/> sensitivity to light-heat-cold						
<input type="checkbox"/> other														
<u>Excessive thirst and increased urination:</u>														
Diabetes may lead to excessive thirst and increased urination.														
Does your patient have urinary frequency?										<input type="checkbox"/> Yes		<input type="checkbox"/> No		
If yes, please estimate approximately how often your patient must urinate:														
<input type="checkbox"/> 1 time every 2 hours				<input type="checkbox"/> 2 times every 2 hours				<input type="checkbox"/> 3 times every 2 hours						
<input type="checkbox"/> 4 times every 2 hours				<input type="checkbox"/> 5 times or more every 2 hours				Other:						
Diabetes may lead to fatigue.														
Does your patient experience fatigue as a result of Diabetes?										<input type="checkbox"/> Yes		<input type="checkbox"/> No		
Assume a scale of 1-5 with 1 meaning no to minimal fatigue and 5 extreme fatigue precluding ADLs and/or work.														
<input type="checkbox"/> None to minimal Fatigue			<input type="checkbox"/> Slight			<input type="checkbox"/> Moderate Fatigue Able to perform ADL's and work but with marked handicap			<input type="checkbox"/> Moderate to Severe			<input type="checkbox"/> Severe Fatigue Unable to perform ADL's and work		
(a) If your patient experiences severe fatigue, describe when it is most likely to occur:														
<input type="checkbox"/> At rest			<input type="checkbox"/> With some physical exertion			<input type="checkbox"/> With moderate physical exertion			<input type="checkbox"/> Only with extreme physical exertion					
(b) Frequency of severe level of fatigue:														
<input type="checkbox"/> Daily			<input type="checkbox"/> One or more times a week			<input type="checkbox"/> One or more times a month			Other:					
Weight gain or loss:														
Has your patient experienced weight gain or loss?										<input type="checkbox"/> Yes		<input type="checkbox"/> No		

Diabetes Mellitus Residual Functional Capacity

If yes, how much weight gain or loss has your patient experienced from the date of her/his first visit:					
Weight first visit:		Weight last visit:		Gain/ Loss:	
Blurred vision: Diabetes symptoms may involve vision loss.					
Has your patient experienced vision loss?				<input type="checkbox"/> Yes	<input type="checkbox"/> No

How often can your patient perform work activities involving the following?

	Never	Rarely	Occasionally	Frequently	Constantly
Near Acuity					
Far Acuity					
Depth Perception					
Accommodation					
Color Vision					
Field of Vision					

Diagnoses: _____

Prognosis: _____

After best correction visual acuity right eye: _____

After best correction visual acuity left eye: _____

Describe contraction of peripheral visual fields in the better eye:

Describe your patient's vision *symptoms*: _____

Tingling hands and feet: Excess sugar in the blood can lead to nerve damage. This can lead to tingling and loss of sensation in the hands and feet, as well as burning pain in the arms, hands, legs and feet.					
Has your patient experienced tingling in his/her hands and/or feet?				<input type="checkbox"/> Yes	<input type="checkbox"/> No
If your patient experiences tingling in his/her hands and feet, how often will this occur?					
Not at all	Rare (1-5% day)	Occasionally (up to 1/3 rd day)	Frequently (1/3 rd to 2/3 rd day)	Continuously (2/3 rd day or more)	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Will the tingling in the hands affect your patient's ability to perform fine dexterity?				<input type="checkbox"/> Yes	<input type="checkbox"/> No
If yes, how often will this occur?					
Not at all	Rare (1-5% day)	Occasionally (up to 1/3 rd day)	Frequently (1/3 rd to 2/3 rd day)	Continuously (2/3 rd day or more)	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is your patient a malingerer?				<input type="checkbox"/> Yes	<input type="checkbox"/> No
Does your patient exaggerate, magnify or embellish his/her symptoms?				<input type="checkbox"/> Yes	<input type="checkbox"/> No
Does stress play a roll in bringing on your patient's symptoms?				<input type="checkbox"/> Yes	<input type="checkbox"/> No

EXERTIONAL PHYSICAL DEMANDS: (SIT, STAND, WALK)

How many hours of a work day, 8 hours or otherwise, can claimant be expected to sustain competitive work:									
	<1	1	2	3	4	5	6	7	8
Sit									
Stand									
Walk									
Drive									

Diabetes Mellitus Residual Functional Capacity

EXERTIONAL PHYSICAL DEMANDS (LIFT, CARRY, PUSH AND PULL)

LIFT					
	Not at all	Rarely <5 Min	Occasionally up to 1/3 rd day	Frequently 1/3 rd to 2/3 rd day	Continuously 2/3 rd day or more
< 10 pounds					
10 pounds					
11-20 pounds					
21-25 pounds					
26-50 pounds					
CARRY					
	Not at all	Rarely <5 Min	Occasionally up to 1/3 rd day	Frequently 1/3 rd to 2/3 rd day	Continuously 2/3 rd day or more
< 10 pounds					
10 pounds					
11-20 pounds					
21-25 pounds					
26-50 pounds					
PUSH/PULL					
	Not at all	Rarely <5 Min	Occasionally up to 1/3 rd day	Frequently 1/3 rd to 2/3 rd day	Continuously 2/3 rd day or more
< 10 pounds					
10 pounds					
11-20 pounds					
21-25 pounds					
26-50 pounds					

NON-EXERTIONAL PHYSICAL DEMANDS

	Not at all	Rare 1-5% day	Occasionally up to 1/3 rd day	Frequently 1/3 rd to 2/3 rd day	Continuously 2/3 rd day or more
Climb Ladders					
Climb Stairs					
Balance					
Kneel					
Stoop					
Crouch					
Crawl					
Reaching: Over shoulders					
Reaching: Below shoulders					
Handling					
Fingering					
Feeling					

LOWER EXTREMITIES

The claimant's <u>affected</u> lower extremity is:		BOTH <input type="checkbox"/>	RIGHT <input type="checkbox"/>	LEFT <input type="checkbox"/>	
FEET: Claimant can use FEET for <i>repetitive movements</i> , as in operating foot controls or driving.					
	Not at all	Rare 1-5% day	Occasionally up to 1/3 rd day	Frequently 1/3 rd to 2/3 rd day	Continuously 2/3 rd day or more

Diabetes Mellitus Residual Functional Capacity

Right																	
Left																	
Both																	
With <i>prolonged sitting</i> should claimant leg(s) be elevated?		<input type="checkbox"/> Yes	<input type="checkbox"/> No														
If yes, can you estimate how <i>often</i> he/she may need to elevate the leg(s)?		<input type="checkbox"/> BOTH	<input type="checkbox"/> RIGHT														
About _____ minutes; every _____ hour(s)		<input type="checkbox"/> LEFT															
If elevation of the leg(s) is required, how <i>long</i> will the leg(s) require elevation at one time?																	
Minutes/hours	<5 min	5-10	11-15														
	16-20	21-30	31-45														
	1 hour	1 and ½ hour	Other:														
Right																	
Left																	
Both																	
<input type="checkbox"/> 1-5inches	<input type="checkbox"/> Up to 10 inches	<input type="checkbox"/> Up to 15 inches	<input type="checkbox"/> Up to 20 inches														
<input type="checkbox"/> Up to 25inches	<input type="checkbox"/> >25 inches																
<input type="checkbox"/> Below Knee	<input type="checkbox"/> Above Knee	<input type="checkbox"/> Waist Level	<input type="checkbox"/> Above Heart														
<input type="checkbox"/> Other																	
	(# of hours in an 8-hour day)				Duration (# of continuous minutes)												
	<1	1	2	3	4	5	6	7	8	<5 min	5-10	11-15	16-20	21-30	31-45	46-60	Other
Write																	
Keyboard																	
Mouse																	
NECK/HEAD/CERVICAL REGION for repetitive actions such as: (check capacity for each activity)																	
	(# of hours in an 8-hour day)								Duration/Tolerance								
	<1	1	2	3	4	5	6	7	8	<5 min	5-10	11-15	16-20	21-30	31-45	46-60	Other
Physical Activity																	
Neck Flexion/ Extension																	
Neck Rotation																	

FINE MANIPULATION

What degree of pain, if any, will claimant experience when performing <i>competitive</i> work requiring fine manipulation and/or fine dexterity with the affected upper extremity (ies)?	<input type="checkbox"/> Mild	<input type="checkbox"/> Slight	<input type="checkbox"/> Moderate	<input type="checkbox"/> Severe	<input type="checkbox"/> Other:
---	-------------------------------	---------------------------------	-----------------------------------	---------------------------------	---------------------------------

GROSS MANIPULATION

What degree of pain, if any, will the claimant experiences when performing <i>competitive</i> work requiring gross manipulation with the affected upper extremity (ies)?	<input type="checkbox"/> Mild	<input type="checkbox"/> Slight	<input type="checkbox"/> Moderate	<input type="checkbox"/> Severe	<input type="checkbox"/> Other:
---	-------------------------------	---------------------------------	-----------------------------------	---------------------------------	---------------------------------

Claimant is restricted from activities involving: (check capacity for each activity)			
	Restricted	Unrestricted	Comments
Hazards (moving machinery, heights)			
Driving Automotive Equipment			
Exposure to Dust, Fumes, Gases			
Changes in Temperature			
Extreme heat			
Extreme cold			
Humidity			
Wetness			
Noise			
Vibration			

SIDE EFFECTS OF MEDICATION

Please list medications for the industrial condition(s), if any?
Is there a reasonable medical probability that claimant will experience side effects from the industrial medication(s)?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Other:
What side effect(s) are likely to occur, if any?

Diabetes Mellitus Residual Functional Capacity

Sweating	Dry Mouth	
Weight Loss	Depression	
Drowsiness	Feeling weak	
Difficulty maintaining concentration	Dizziness	
Reduced short term memory	Confusion	
Constipation	Low Energy	
Mental/Mood Changes	Headaches	
Blurry Vision	Trouble Sleeping	
Nausea	Loss of Appetite	Other
Vomiting	Diarrhea	Other
Sedation	Weight Gain	Other
Will the claimant experience <i>fatigue</i> due to the side effects from the medication?		YES <input type="checkbox"/> NO <input type="checkbox"/>
Please list medications for non-industrial condition(s), if any?		
Is there a reasonable medical probability the claimant will experience side effects from <u>non-industrial medication(s)</u> , if any? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, please explain:		
In utilizing this form, please assume the following definitions: <ol style="list-style-type: none"> 1. "Mild" assumes an annoyance but no reduction in the ability to perform the function. 2. "Severe" assumes an inability to perform the function. 3. Please assume that "off task" means an inability and/or a reduction in productivity over the course of a work day, 8 hours or otherwise. If appropriate, please choose <u>one</u> of the 4 following definitions of "Moderate" you feel best describes claimant's functional limitations taking into account the side effects of the medication(s), if any: <ol style="list-style-type: none"> 1. <input type="checkbox"/> Will be "off task" up to 10% of the time in an 8 hour day; 2. <input type="checkbox"/> Will be "off task" up to 15% of the time in an 8 hour day; 3. <input type="checkbox"/> Will be "off task" up to 20% or more of the time in an 8 hour day; 4. <input type="checkbox"/> Other: Will be "off task" ___% of the time in an 8 hour day. 		
To what degree will the side effects impair claimant's ability for concentration, persistence pace <u>separate and apart</u> from the underlying <u>industrial</u> medical condition(s)? <input type="checkbox"/> Mild <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Severe <input type="checkbox"/> Other:		
To what degree will the side effects impair claimant's ability for concentration, persistence and pace in <u>combination</u> with the underlying <u>industrial</u> medical condition(s)? <input type="checkbox"/> Mild <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Severe <input type="checkbox"/> Other:		
When side effects exist can you estimate the severity? <input type="checkbox"/> Mild <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Severe <input type="checkbox"/> Other:		
Hours	<1	2
3	4	5
6	7	8
Approximate duration of the most severe side effect(s):		
Is claimant allowed to operate machinery or motorized vehicles when experiencing side effects from the medication? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Other:		
Is there a reasonable medical probability that the side effects will reduce claimant's ability to perform work to a minimum standard of productivity while working? If yes, to what degree: <input type="checkbox"/> Mild <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Severe <input type="checkbox"/> Other:		
Is there a reasonable medical probability that the side effects will reduce claimant's ability to perform detailed work requiring hand/eye coordination? If yes, to what degree: <input type="checkbox"/> Mild <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Severe <input type="checkbox"/> Other:		
Is there a reasonable medical probability that the side effects will reduce claimant's cognitive acuity and/or ability to focus on activities such as reading, writing, computer use? If yes, to what degree: <input type="checkbox"/> Mild <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Severe <input type="checkbox"/> Other:		
Is there a reasonable medical probability claimant's <i>fatigue</i> , if any, due to the combined effects of his or her medical condition(s), will reduce his or her exertional capacity to sit, stand, walk, lift, carry, push and/or pull? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Other:		

Diabetes Mellitus Residual Functional Capacity

REASONABLE ACTIVITIES TO CONTROL AND/OR RELIEVE PAIN

What is the most effective manner for claimant to control or manage his/her pain?									
<input type="checkbox"/> Take Medications <input type="checkbox"/> Apply TENS Unit <input type="checkbox"/> Lie Down <input type="checkbox"/> Recline <input type="checkbox"/> Rest	<input type="checkbox"/> Apply hot/cold packs <input type="checkbox"/> Alternate positions <input type="checkbox"/> Avoid prolonged activities <input type="checkbox"/> Use of supports <input type="checkbox"/> Avoid offending activities	Other:							
Will claimant need allowance to alternate positions at will?		YES <input type="checkbox"/>	NO <input type="checkbox"/>	Comments:					
If claimant needs to alternate positions to relieve or control pain please estimate the number of minutes or hours claimant is able to sit, stand, or walk <i>at one time without interruption</i> before needing to alternate positions. Estimated maximum <i>duration</i> of each activity:									
Capacity for:	<5	Up to 5min	Up to 10min	Up to 15min	Up to 20min	Up to 30min	Up to 45min	Up to 1 hour without a break	Up to 2 hours without a break
Sitting									
Walking									
Standing									
If claimant must alternate positions after sitting, walking, or standing the <i>maximum duration</i> estimated above, can you estimate of the length of time needed before claimant can resume sitting, walking, or standing?									
Break time	<1 min	Up to 5 min	Up to 10 min	Up to 15 min	Other:				
Sitting					Other:				
Walking					Other:				
Standing					Other:				

LIE DOWN/RECLINE

Is there a reasonable medical probability that claimant will need to take lie down or recline from work activity during the workday to relieve or control pain? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Other:									
If claimant needs to lie down or recline to relive or control pain can you estimate for how <i>often</i> and for <i>how long</i> he or she may have to do so? About _____ minutes; every _____ hour(s)									

UNSCHEDULED BREAKS

Is there a reasonable medical probability that claimant will need to take unscheduled breaks from work activity during the workday? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Other:									
If claimant needs to take unscheduled beaks to relive or control pain can you estimate how <i>often</i> and for how long he or she may have to do so? About _____ minutes; every _____ hour(s)									

How often during a typical workday will claimant experience fatigue or other symptom severe enough to interfere with <i>attention and concentration</i> needed to perform even simple work tasks as a result of the combination of impairments?				
Not at all	Rare 1-5% day	Occasionally up to 1/3 rd day	Frequently 1/3 rd to 2/3 rd day	Continuously 2/3 rd day or more
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

How often during a typical workday will the combination of claimant's of impairments interfere with an ability to perform <i>sustained and competitive work</i> ?				
Not at all	Rare 1-5% day	Occasionally up to 1/3 rd day	Frequently 1/3 rd to 2/3 rd day	Continuously 2/3 rd day or more
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

To what degree can claimant tolerate <i>work stress</i> as a result of the medical condition(s)?									
Examples of factors that may precipitate work related stress: maintaining speed; precision; persistence and pace; complexity; meeting deadlines; working within a schedule; making decisions; exercising independent judgment; completing tasks; getting to work regularly; remaining at work for a full day.									

Diabetes Mellitus Residual Functional Capacity

<input type="checkbox"/> Incapable of "low stress" jobs	<input type="checkbox"/> Capable of low stress jobs
<input type="checkbox"/> Moderate stress is okay	<input type="checkbox"/> Capable of high stress work

Will claimant's impairments likely to produce "good days" and "bad days"?	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Other:	
If yes, please estimate, on average, how many days per month claimant is likely to be absent from work as a result of the impairments or treatment?	
<input type="checkbox"/> Never <input type="checkbox"/> About one day per month <input type="checkbox"/> About two days per month	<input type="checkbox"/> About three days per month <input type="checkbox"/> About four days per month <input type="checkbox"/> More than four days per month
Please describe any other limitations (such as psychological limitations, limited vision, difficulty hearing, etc.) that would affect your patient's ability to work at a regular job on a sustained basis:	

I declare under penalty of perjury that the information contained in this report and its attachments, if any, is true and correct to the best of my knowledge and belief, except as to information that I have indicated I received from others. As to that information, I declare under penalty of perjury that the report accurately describes the information provided to me and except as noted herein, that I believe it to be true. I also declare under the perjury that this physician has no violated section 139.3 of the Labor Code.

My opinions are expressed to a degree of medical probability, unless otherwise stated.

Signature of Physician _____ Date _____

Additional Comments: _____